

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

### Product Identifier

**Product Form:** Mixture

**Product Name:** Platelet PGD*prime* Negative Control

**Product Code:** P01113, PRM30C and PRM30C-CE

### Intended Use of the Product

The Platelet PGD*prime* Test is a rapid, qualitative immunoassay that detects the presence of bacteria in platelets for transfusion.

### Name, Address, and Telephone of the Responsible Party

Verax Biomedical Incorporated

148 Bartlett Street

Marlborough, MA 01752

1-866-948-3729

[www.veraxbiomedical.com](http://www.veraxbiomedical.com)

### Emergency Telephone Number

**Emergency number : 1-760-476-9362**

## SECTION 2: HAZARDS IDENTIFICATION

### Classification of the Substance or Mixture

**Classification (GHS-US):** Not classified

**Label Elements GHS-US Labeling:** Not classified

**Other Hazards** Not available

**Unknown Acute Toxicity (GHS-US):** Not available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### Mixture

Name	Product identifier	% (w/w)	Classification (GHS-US)
Water	(CAS No) 7732-18-5	70 - 80	Not classified
HEPES	(CAS No) 7365-45-9	4 - 5	Not classified
Tricine	(CAS No) 5704-04-1	1 - 2	Not classified
Human AB Plasma	-	10 - 20	Not classified
Albumin, blood serum (Bovine)	(CAS No) 9048-46-8	0.1 - 1	Not classified
Sodium chloride	(CAS No) 7647-14-5	0.1 - 1	Not classified
Disodium orthophosphate heptahydrate	(CAS No) 7782-85-6	0.1 - 1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
Dihydrogen potassium phosphate	(CAS No) 7778-77-0	0.1 - 1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Sodium azide	(CAS No) 26628-22-8	< 0.1	Acute Tox. 2 (Oral), H300 Acute Tox. 1 (Dermal), H310 STOT RE 2, H373

Full text of H-phrases: see section 16

## SECTION 4: FIRST AID MEASURES

### Description of First Aid Measures

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Keep at rest and in a position comfortable for breathing. If you feel unwell, seek medical advice.

# Negative Control

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Skin Contact:** Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Wash contaminated clothing before reuse. Obtain medical attention if irritation develops or persists.

**Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persist.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER/doctor/physician if you feel unwell.

### **Most Important Symptoms and Effects Both Acute and Delayed**

**General:** Not available

**Inhalation:** Inhalation is not considered a potential route of exposure.

**Skin Contact:** Contact during a long period may cause light irritation.

**Eye Contact:** May cause minor eye irritation.

**Ingestion:** Abdominal pain.

**Chronic Symptoms:** Repeated or prolonged skin contact may cause dermatitis and defatting.

### **Indication of Any Immediate Medical Attention and Special Treatment Needed**

If exposed or concerned, get medical advice and attention.

## **SECTION 5: FIREFIGHTING MEASURES**

### **Extinguishing Media**

**Suitable Extinguishing Media:** Use extinguishing media appropriate for surrounding fire.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### **Special Hazards Arising From the Substance or Mixture**

**Fire Hazard:** Not flammable

**Explosion Hazard:** Product is not explosive.

**Reactivity:** Stable at ambient temperature and under normal conditions of use.

### **Advice for Firefighters**

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Carbon oxides (CO, CO<sub>2</sub>).

### **Reference to Other Sections**

Refer to section 9 for flammability properties.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **Personal Precautions, Protective Equipment and Emergency Procedures**

**General Measures:** Do not get in eyes, on skin, or on clothing.

#### **For Non-Emergency Personnel**

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### **For Emergency Personnel**

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Stop release. Ventilate area.

### **Environmental Precautions**

Prevent entry to sewers and public waters.

### **Methods and Material for Containment and Cleaning Up**

**For Containment:** Absorb and/or contain spill with inert material, then place in suitable container.

**Methods for Cleaning Up:** Clear up spills immediately and dispose of waste safely.

### **Reference to Other Sections**

See heading 8, Exposure Controls and Personal Protection.

# Negative Control

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 7: HANDLING AND STORAGE

#### Precautions for Safe Handling

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product.

#### Conditions for Safe Storage, Including Any Incompatibilities

**Storage Conditions:** Keep away from heat and direct sunlight. Store in a dry, cool and well-ventilated place. Keep container closed when not in use.

**Incompatible Materials:** Strong acids. Strong bases. Strong oxidizers

#### Specific End Use(s)

The Platelet PGD<sub>prime</sub> Test is a rapid, qualitative immunoassay that detects the presence of bacteria in platelets for transfusion.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control Parameters

Sodium azide (26628-22-8)		
USA ACGIH	ACGIH Ceiling (mg/m <sup>3</sup> )	0.29 mg/m <sup>3</sup>
USA ACGIH	ACGIH Ceiling (ppm)	0.11 ppm
USA NIOSH	NIOSH REL (ceiling) (mg/m <sup>3</sup> )	0.3 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (ceiling) (ppm)	0.1 ppm
Alberta	OEL Ceiling (mg/m <sup>3</sup> )	0.29 mg/m <sup>3</sup>
Alberta	OEL Ceiling (ppm)	0.11 ppm
Alberta	OEL STEL (mg/m <sup>3</sup> )	0.3 mg/m <sup>3</sup>
British Columbia	OEL Ceiling (mg/m <sup>3</sup> )	0.29 mg/m <sup>3</sup>
British Columbia	OEL Ceiling (ppm)	0.11 ppm
Manitoba	OEL Ceiling (mg/m <sup>3</sup> )	0.29 mg/m <sup>3</sup>
Manitoba	OEL Ceiling (ppm)	0.11 ppm
New Brunswick	OEL Ceiling (mg/m <sup>3</sup> )	0.29 mg/m <sup>3</sup>
New Brunswick	OEL Ceiling (ppm)	0.11 ppm
Newfoundland & Labrador	OEL Ceiling (mg/m <sup>3</sup> )	0.29 mg/m <sup>3</sup>
Newfoundland & Labrador	OEL Ceiling (ppm)	0.11 ppm
Nova Scotia	OEL Ceiling (mg/m <sup>3</sup> )	0.29 mg/m <sup>3</sup>
Nova Scotia	OEL Ceiling (ppm)	0.11 ppm
Nunavut	OEL Ceiling (mg/m <sup>3</sup> )	0.27 mg/m <sup>3</sup>
Nunavut	OEL Ceiling (ppm)	0.1 ppm
Northwest Territories	OEL Ceiling (mg/m <sup>3</sup> )	0.27 mg/m <sup>3</sup>
Northwest Territories	OEL Ceiling (ppm)	0.1 ppm
Ontario	OEL Ceiling (mg/m <sup>3</sup> )	0.29 mg/m <sup>3</sup>
Ontario	OEL Ceiling (ppm)	0.11 ppm
Prince Edward Island	OEL Ceiling (mg/m <sup>3</sup> )	0.29 mg/m <sup>3</sup>
Prince Edward Island	OEL Ceiling (ppm)	0.11 ppm
Québec	PLAFOND (mg/m <sup>3</sup> )	0.3 mg/m <sup>3</sup>
Québec	PLAFOND (ppm)	0.11 ppm
Saskatchewan	OEL Ceiling (mg/m <sup>3</sup> )	0.29 mg/m <sup>3</sup>
Saskatchewan	OEL Ceiling (ppm)	0.11 ppm
Yukon	OEL Ceiling (mg/m <sup>3</sup> )	0.3 mg/m <sup>3</sup>
Yukon	OEL Ceiling (ppm)	0.1 ppm

# Negative Control

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Exposure Controls

**Appropriate Engineering Controls:** Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

**Personal Protective Equipment:** In case of splash hazard: safety glasses. Gloves. Protective clothing.



**Materials for Protective Clothing:** Chemically resistant materials and fabrics.

**Hand Protection:** Wear chemically resistant protective gloves.

**Eye Protection:** Chemical goggles or safety glasses.

**Skin and Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** Use NIOSH-approved air-purifying or supplied-air respirator where airborne concentrations of vapor or mist are expected to exceed exposure limits.

**Other Information:** When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on Basic Physical and Chemical Properties

Physical State	: Liquid
Appearance	: Colorless/straw
Odor	: Odorless
Odor Threshold	: Not available
pH	: 7.1
Relative Evaporation Rate (butylacetate=1)	: Not available
Melting Point	: Not available
Freezing Point	: Not available
Boiling Point	: Not available
Flash Point	: Not available
Auto-ignition Temperature	: Not available
Decomposition Temperature	: Not available
Flammability (solid, gas)	: Not available
Lower Flammable Limit	: Not available
Upper Flammable Limit	: Not available
Vapor Pressure	: Not available
Relative Vapor Density at 20 °C	: Not available
Relative Density	: Not available
Density	: 1.03 g/cm <sup>3</sup> (at 20°C/68°F)
Specific Gravity	: Not available
Solubility	: Not available
Log Pow	: Not available
Log Kow	: Not available
Viscosity, Kinematic	: Not available
Viscosity, Dynamic	: Not available
Explosion Data – Sensitivity to Mechanical Impact	: Not available
Explosion Data – Sensitivity to Static Discharge	: Not available

# Negative Control

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 10: STABILITY AND REACTIVITY

**Reactivity:** Stable at ambient temperature and under normal conditions of use.

**Chemical Stability:** Stable at standard temperature and pressure.

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

**Conditions to Avoid:** Direct sunlight. Extremely high or low temperatures.

**Incompatible Materials:** Strong acids. Strong bases. Strong oxidizers.

**Hazardous Decomposition Products:** Carbon oxides (CO, CO<sub>2</sub>).

### SECTION 11: TOXICOLOGICAL INFORMATION

#### Information on Toxicological Effects - Product

**Acute Toxicity:** Not classified

**LD50 and LC50 Data** Not available

**Skin Corrosion/Irritation:** Not classified (pH: 7.1).

**Serious Eye Damage/Irritation:** Not classified (pH: 7.1).

**Respiratory or Skin Sensitization:** Not classified

**Germ Cell Mutagenicity:** Not classified

**Teratogenicity:** Not available

**Carcinogenicity:** Not classified

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified

**Reproductive Toxicity:** Not classified

**Specific Target Organ Toxicity (Single Exposure):** Not classified

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation:** Inhalation is not considered a potential route of exposure.

**Symptoms/Injuries After Skin Contact:** Contact during a long period may cause light irritation.

**Symptoms/Injuries After Eye Contact :** May cause minor eye irritation.

**Symptoms/Injuries After Ingestion:** Abdominal pain.

**Chronic Symptoms:** Repeated or prolonged skin contact may cause dermatitis and defatting.

#### Information on Toxicological Effects - Ingredient(s)

##### LD50 and LC50 Data

<b>Sodium azide (26628-22-8)</b>	
ATE (oral)	5.000 mg/kg body weight
<b>Sodium chloride (7647-14-5)</b>	
LD50 Oral Rat	3 g/kg
LD50 Dermal Rabbit	> 10 g/kg
LC50 Inhalation Rat (mg/l)	> 42 g/m <sup>3</sup> (Exposure time: 1 h)
<b>Dihydrogen potassium phosphate (7778-77-0)</b>	
LD50 Dermal Rabbit	> 4640 mg/kg

### SECTION 12: ECOLOGICAL INFORMATION

#### Toxicity

<b>Sodium azide (26628-22-8)</b>	
LC50 Fish 1	0.8 mg/l (Exposure time: 96 h - Species: <i>Oncorhynchus mykiss</i> )
LC 50 Fish 2	0.7 mg/l (Exposure time: 96 h - Species: <i>Lepomis macrochirus</i> )
<b>Sodium chloride (7647-14-5)</b>	
LC50 Fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: <i>Lepomis macrochirus</i> [flow-through])
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: <i>Daphnia magna</i> )
LC 50 Fish 2	12946 mg/l (Exposure time: 96 h - Species: <i>Lepomis macrochirus</i> [static])
EC50 Daphnia 2	340.7 (340.7 - 469.2) mg/l (Exposure time: 48 h - Species: <i>Daphnia magna</i> [Static])

# Negative Control

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Persistence and Degradability

#### **Negative Control**

Persistence and Degradability	Not established.
-------------------------------	------------------

### Bioaccumulative Potential

#### **Negative Control**

Bioaccumulative Potential	Not established.
---------------------------	------------------

#### **Sodium chloride (7647-14-5)**

BCF fish 1	(no bioaccumulation)
------------	----------------------

**Mobility in Soil** Not available

### Other Adverse Effects

**Other Information:** Avoid release to the environment.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

## **SECTION 14: TRANSPORT INFORMATION**

In Accordance With ICAO/IATA/DOT/TDG

**UN Number** Not regulated for transport

**UN Proper Shipping Name** Not regulated for transport

**Transport by sea** Not regulated for transport

**Air transport** Not regulated for transport

## **SECTION 15: REGULATORY INFORMATION**

### US Federal Regulations

#### **Water (7732-18-5)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### **Sodium azide (26628-22-8)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on SARA Section 302 (Specific toxic chemical listings)

Listed on SARA Section 313 (Specific toxic chemical listings)

<b>SARA Section 302 Threshold Planning Quantity (TPQ)</b>	500 (This material is a reactive solid. The TPQ does not default to 10000 pounds for non-powder, non-molten, non-solution form)
---	---

<b>SARA Section 313 - Emission Reporting</b>	1.0 %
--	-------

#### **Dihydrogen potassium phosphate (7778-77-0)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### **Sodium chloride (7647-14-5)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### **Tricine (5704-04-1)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### US State Regulations

#### **Sodium azide (26628-22-8)**

U.S. - Colorado - Hazardous Wastes - Discarded Chemical Products, Off-Specification Species, Container and Spill Residues

U.S. - Connecticut - Hazardous Air Pollutants - HLVs (30 min)

U.S. - Connecticut - Hazardous Air Pollutants - HLVs (8 hr)

U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities

U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations

U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs)

U.S. - Louisiana - Reportable Quantity List for Pollutants

U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 1

U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 2

U.S. - Massachusetts - Oil & Hazardous Material List - Reportable Quantity

# Negative Control

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 1  
U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 2  
U.S. - Massachusetts - Right To Know List  
U.S. - Massachusetts - Toxics Use Reduction Act  
U.S. - Michigan - Occupational Exposure Limits - Ceilings  
U.S. - Michigan - Occupational Exposure Limits - Skin Designations  
U.S. - Michigan - Polluting Materials List  
U.S. - Minnesota - Chemicals of High Concern  
U.S. - Minnesota - Hazardous Substance List  
U.S. - Minnesota - Permissible Exposure Limits - Ceilings  
U.S. - Minnesota - Permissible Exposure Limits - Skin Designations  
U.S. - Nebraska - "P" Listed Hazardous Wastes  
U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - 24-Hour  
U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - Annual  
U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances  
U.S. - New Jersey - Environmental Hazardous Substances List  
U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - New Jersey - Special Health Hazards Substances List  
U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances  
U.S. - North Dakota - Air Pollutants - Guideline Concentrations - 1-Hour  
U.S. - North Dakota - Hazardous Wastes - Discarded Chemical Products, Off-Specification Species, Container and Spill Residues  
U.S. - Ohio - Extremely Hazardous Substances - Threshold Quantities  
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List  
U.S. - Pennsylvania - RTK (Right to Know) List  
U.S. - Tennessee - Occupational Exposure Limits - Ceilings  
U.S. - Tennessee - Occupational Exposure Limits - Skin Designations  
U.S. - Texas - Effects Screening Levels - Long Term  
U.S. - Texas - Effects Screening Levels - Short Term  
U.S. - Vermont - Hazardous Waste - Acutely Hazardous Wastes  
U.S. - Vermont - Permissible Exposure Limits - Ceilings  
U.S. - Vermont - Permissible Exposure Limits - Skin Designations  
U.S. - Washington - Dangerous Waste - Discarded Chemical Products List  
U.S. - Washington - Permissible Exposure Limits - Ceilings  
U.S. - Washington - Permissible Exposure Limits - Skin Designations  
U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 25 Feet to Less Than 40 Feet  
U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 40 Feet to Less Than 75 Feet  
U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 75 Feet or Greater  
U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights Less Than 25 Feet

### Canadian Regulations

#### **Negative Control**

Uncontrolled product according to WHMIS classification criteria

#### **Water (7732-18-5)**

Listed on the Canadian DSL (Domestic Substances List) inventory.

WHMIS Classification

Uncontrolled product according to WHMIS classification criteria

#### **Sodium azide (26628-22-8)**

Listed on the Canadian DSL (Domestic Substances List) inventory.

Listed on the Canadian Ingredient Disclosure List

WHMIS Classification

Class D Division 1 Subdivision A - Very toxic material causing immediate and serious toxic effects

<b>Sodium chloride (7647-14-5)</b>	
Listed on the Canadian DSL (Domestic Substances List) inventory.	
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria
<b>Tricine (5704-04-1)</b>	
Listed on the Canadian DSL (Domestic Substances List) inventory.	
<b>Dihydrogen potassium phosphate (7778-77-0)</b>	
Listed on the Canadian DSL (Domestic Substances List) inventory.	
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

## SECTION 16: OTHER INFORMATION

**Indication of Changes** : 8/30/2023

**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

### GHS Full Text Phrases:

Acute Tox. 1 (Dermal)	Acute toxicity (dermal), Category 1
Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
STOT RE 2	Specific target organ toxicity — repeated exposure, Category 2
H300	Fatal if swallowed
H301	Toxic if swallowed
H310	Fatal in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H373	May cause damage to organs through prolonged or repeated exposure

### Party Responsible for the Preparation of This Document

Verax Biomedical Incorporated  
Phone Number: 1-508-755-7029

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*

North America GHS US 2012 & WHMIS



# Positive Control

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Positive Control



#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision Date: 8/30/2023

Supersedes: 7/19/2022

Version 2.0

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

### Product Identifier

**Product Form:** Mixture

**Product Name:** Platelet PGD*prime* Positive Control

**Product Code:** P01412, PRM30C and PRM30C-CE

### Intended Use of the Product

The Platelet PGD*prime* Test is a rapid, qualitative immunoassay that detects the presence of bacteria in platelets for transfusion.

### Name, Address, and Telephone of the Responsible Party

Verax Biomedical Incorporated

148 Bartlett Street

Marlborough, MA 01752

1-866-948-3729

[www.veraxbiomedical.com](http://www.veraxbiomedical.com)

### Emergency Telephone Number

**Emergency number: 1-760-476-9362**

## SECTION 2: HAZARDS IDENTIFICATION

### Classification of the Substance or Mixture

**Classification (GHS-US)**

Not classified

### Label Elements

**GHS-US Labeling** Not classified

**Other Hazards** Not available

**Unknown Acute Toxicity (GHS-US):** Not available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### Mixture

Name	Product identifier	% (w/w)	Classification (GHS-US)
Water	(CAS No) 7732-18-5	70 - 80	Not classified
HEPES	(CAS No) 7365-45-9	4 - 5	Not classified
Tricine	(CAS No) 5704-04-1	1 - 2	Not classified
Human AB Plasma	-	10 - 20	Not classified
Albumin, blood serum (Bovine)	(CAS No) 9048-46-8	0.1 - 1	Not classified
Disodium orthophosphate heptahydrate	(CAS No) 7782-85-6	0.1 - 1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
Dihydrogen potassium phosphate	(CAS No) 7778-77-0	0.1 - 1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Lipoteichoic acid	(CAS No) 56411-57-5	0.1 - 1	Not classified
Sodium chloride	(CAS No) 7647-14-5	0.1 - 1	Not classified
Sodium azide	(CAS No) 26628-22-8	< 0.1	Acute Tox. 2 (Oral), H300 Acute Tox. 1 (Dermal), H310 STOT RE 2, H373
Bacterial lysates	-	<0.1	Not classified

Full text of H-phrases: see section 16

# Positive Control

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 4: FIRST AID MEASURES

#### Description of First Aid Measures

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Keep at rest and in a position comfortable for breathing. If you feel unwell, seek medical advice.

**Skin Contact:** Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Wash contaminated clothing before reuse. Obtain medical attention if irritation develops or persists.

**Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persist.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER/doctor/physician if you feel unwell.

#### Most Important Symptoms and Effects both Acute and Delayed

**General:** Not available

**Inhalation:** Inhalation is not considered a potential route of exposure. **Skin Contact:** Contact during a long period may cause light irritation. **Eye Contact:** May cause minor eye irritation.

**Ingestion:** Abdominal pain.

**Chronic Symptoms:** Repeated or prolonged skin contact may cause dermatitis and defatting.

#### Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention.

### SECTION 5: FIREFIGHTING MEASURES

#### Extinguishing Media

**Suitable Extinguishing Media:** Use extinguishing media appropriate for surrounding fire.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

#### Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Not flammable

**Explosion Hazard:** Product is not explosive.

**Reactivity:** Stable at ambient temperature and under normal conditions of use.

#### Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Carbon oxides (CO, CO<sub>2</sub>).

#### Reference to Other Sections

Refer to section 9 for flammability properties.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Do not get in eyes, on skin, or on clothing.

##### For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

##### For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Stop release. Ventilate area.

#### Environmental Precautions

Prevent entry to sewers and public waters.

#### Methods and Material for Containment and Cleaning Up

**For Containment:** Absorb and/or contain spill with inert material, then place in suitable container.

**Methods for Cleaning Up:** Clear up spills immediately and dispose of waste safely.

#### Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

# Positive Control

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 7: HANDLING AND STORAGE

#### Precautions for Safe Handling

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product.

#### Conditions for Safe Storage, Including Any Incompatibilities

**Storage Conditions:** Keep away from heat and direct sunlight. Store in a dry, cool and well-ventilated place. Keep container closed when not in use.

**Incompatible Materials:** Strong acids. Strong bases. Strong oxidizers

#### Specific End Use(s)

The Platelet PGD<sub>prime</sub> Test is a rapid, qualitative immunoassay that detects the presence of bacteria in platelets for transfusion.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control Parameters

Sodium azide (26628-22-8)		
USA ACGIH	ACGIH Ceiling (mg/m <sup>3</sup> )	0.29 mg/m <sup>3</sup>
USA ACGIH	ACGIH Ceiling (ppm)	0.11 ppm
USA NIOSH	NIOSH REL (ceiling) (mg/m <sup>3</sup> )	0.3 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (ceiling) (ppm)	0.1 ppm
Alberta	OEL Ceiling (mg/m <sup>3</sup> )	0.29 mg/m <sup>3</sup>
Alberta	OEL Ceiling (ppm)	0.11 ppm
Alberta	OEL STEL (mg/m <sup>3</sup> )	0.3 mg/m <sup>3</sup>
British Columbia	OEL Ceiling (mg/m <sup>3</sup> )	0.29 mg/m <sup>3</sup>
British Columbia	OEL Ceiling (ppm)	0.11 ppm
Manitoba	OEL Ceiling (mg/m <sup>3</sup> )	0.29 mg/m <sup>3</sup>
Manitoba	OEL Ceiling (ppm)	0.11 ppm
New Brunswick	OEL Ceiling (mg/m <sup>3</sup> )	0.29 mg/m <sup>3</sup>
New Brunswick	OEL Ceiling (ppm)	0.11 ppm
Newfoundland & Labrador	OEL Ceiling (mg/m <sup>3</sup> )	0.29 mg/m <sup>3</sup>
Newfoundland & Labrador	OEL Ceiling (ppm)	0.11 ppm
Nova Scotia	OEL Ceiling (mg/m <sup>3</sup> )	0.29 mg/m <sup>3</sup>
Nova Scotia	OEL Ceiling (ppm)	0.11 ppm
Nunavut	OEL Ceiling (mg/m <sup>3</sup> )	0.27 mg/m <sup>3</sup>
Nunavut	OEL Ceiling (ppm)	0.1 ppm
Northwest Territories	OEL Ceiling (mg/m <sup>3</sup> )	0.27 mg/m <sup>3</sup>
Northwest Territories	OEL Ceiling (ppm)	0.1 ppm
Ontario	OEL Ceiling (mg/m <sup>3</sup> )	0.29 mg/m <sup>3</sup>
Ontario	OEL Ceiling (ppm)	0.11 ppm
Prince Edward Island	OEL Ceiling (mg/m <sup>3</sup> )	0.29 mg/m <sup>3</sup>
Prince Edward Island	OEL Ceiling (ppm)	0.11 ppm
Québec	PLAFOND (mg/m <sup>3</sup> )	0.3 mg/m <sup>3</sup>
Québec	PLAFOND (ppm)	0.11 ppm
Saskatchewan	OEL Ceiling (mg/m <sup>3</sup> )	0.29 mg/m <sup>3</sup>
Saskatchewan	OEL Ceiling (ppm)	0.11 ppm
Yukon	OEL Ceiling (mg/m <sup>3</sup> )	0.3 mg/m <sup>3</sup>
Yukon	OEL Ceiling (ppm)	0.1 ppm

# Positive Control

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Exposure Controls

**Appropriate Engineering Controls:** Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

**Personal Protective Equipment:** In case of splash hazard: safety glasses. Gloves. Protective clothing.



**Materials for Protective Clothing:** Chemically resistant materials and fabrics.

**Hand Protection:** Wear chemically resistant protective gloves.

**Eye Protection:** Chemical goggles or safety glasses.

**Skin and Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** Use NIOSH-approved air-purifying or supplied-air respirator where airborne concentrations of vapor or mist are expected to exceed exposure limits.

**Other Information:** When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on Basic Physical and Chemical Properties

Physical State	: Liquid
Appearance	: Colorless/straw
Odor	: Odorless
Odor Threshold	: Not available
pH	: 7.1
Relative Evaporation Rate (butylacetate=1)	: Not available
Melting Point	: Not available
Freezing Point	: Not available
Boiling Point	: Not available
Flash Point	: Not available
Auto-ignition Temperature	: Not available
Decomposition Temperature	: Not available
Flammability (solid, gas)	: Not available
Lower Flammable Limit	: Not available
Upper Flammable Limit	: Not available
Vapor Pressure	: Not available
Relative Vapor Density at 20 °C	: Not available
Relative Density	: Not available
Density	: 1.03 g/cm <sup>3</sup> (at 20°C/68°F)
Specific Gravity	: Not available
Solubility	: Not available
Log Pow	: Not available
Log Kow	: Not available
Viscosity, Kinematic	: Not available
Viscosity, Dynamic	: Not available
Explosion Data – Sensitivity to Mechanical Impact	: Not available
Explosion Data – Sensitivity to Static Discharge	: Not available

# Positive Control

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 10: STABILITY AND REACTIVITY

**Reactivity:** Stable at ambient temperature and under normal conditions of use.

**Chemical Stability:** Stable at standard temperature and pressure.

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

**Conditions to Avoid:** Direct sunlight. Extremely high or low temperatures.

**Incompatible Materials:** Strong acids. Strong bases. Strong oxidizers.

**Hazardous Decomposition Products:** Carbon oxides (CO, CO<sub>2</sub>).

### SECTION 11: TOXICOLOGICAL INFORMATION

#### Information on Toxicological Effects - Product

**Acute Toxicity:** Not classified

**LD50 and LC50 Data** Not available

**Skin Corrosion/Irritation:** Not classified (pH: 7.1).

**Serious Eye Damage/Irritation:** Not classified (pH: 7.1).

**Respiratory or Skin Sensitization:** Not classified

**Germ Cell Mutagenicity:** Not classified

**Teratogenicity:** Not available

**Carcinogenicity:** Not classified

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified

**Reproductive Toxicity:** Not classified

**Specific Target Organ Toxicity (Single Exposure):** Not classified

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation:** Inhalation is not considered a potential route of exposure.

**Symptoms/Injuries After Skin Contact:** Contact during a long period may cause light irritation.

**Symptoms/Injuries After Eye Contact :** May cause minor eye irritation.

**Symptoms/Injuries After Ingestion:** Abdominal pain.

**Chronic Symptoms:** Repeated or prolonged skin contact may cause dermatitis and defatting.

#### Information on Toxicological Effects - Ingredient(s)

##### LD50 and LC50 Data

<b>Sodium azide (26628-22-8)</b>	
ATE (oral)	5.000 mg/kg body weight
<b>Sodium chloride (7647-14-5)</b>	
LD50 Oral Rat	3 g/kg
LD50 Dermal Rabbit	>10g/kg
LC50 Inhalation Rat (mg/L)	>42 g/m <sup>3</sup> (Exposure time: 1 hr)
<b>Dihydrogen potassium phosphate (7778-77-0)</b>	
LD50 Dermal Rabbit	> 4640 mg/kg

### SECTION 12: ECOLOGICAL INFORMATION

#### Toxicity

<b>Sodium azide (26628-22-8)</b>	
LC50 Fish 1	0.8 mg/L (Exposure time: 96 h - Species: <i>Oncorhynchus mykiss</i> )
LC 50 Fish 2	0.7 mg/L (Exposure time: 96 h - Species: <i>Lepomis macrochirus</i> )
<b>Sodium chloride (7647-14-5)</b>	
LC50 Fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: <i>Lepomis macrochirus</i> [flow-through])
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: <i>Daphnia magna</i> )
LC 50 Fish 2	12946 mg/l (Exposure time: 96 h - Species: <i>Lepomis macrochirus</i> [static])
EC50 Daphnia 2	340.7 (340.7 - 469.2) mg/l (Exposure time: 48 h - Species: <i>Daphnia magna</i> [Static])

# Positive Control

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Persistence and Degradability

#### Positive Control

Persistence and Degradability	Not established.
-------------------------------	------------------

### Bioaccumulative Potential

#### Positive Control

Bioaccumulative Potential	Not established.
---------------------------	------------------

#### Sodium chloride (7647-14-5)

BCF fish 1	(no bioaccumulation)
------------	----------------------

**Mobility in Soil** Not available

### Other Adverse Effects

**Other Information:** Avoid release to the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

## SECTION 14: TRANSPORT INFORMATION

In Accordance With ICAO/IATA/DOT/TDG

**UN Number** Not regulated for transport

**UN Proper Shipping Name** Not regulated for transport

**Transport by sea** Not regulated for transport

**Air transport** Not regulated for transport

## SECTION 15: REGULATORY INFORMATION

### US Federal Regulations

#### Water (7732-18-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Sodium azide (26628-22-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on SARA Section 302 (Specific toxic chemical listings)

Listed on SARA Section 313 (Specific toxic chemical listings)

<b>SARA Section 302 Threshold Planning Quantity (TPQ)</b>	500 (This material is a reactive solid. The TPQ does not default to 10000 pounds for non-powder, non-molten, non-solution form)
---	---

<b>SARA Section 313 - Emission Reporting</b>	1.0 %
--	-------

#### Dihydrogen potassium phosphate (7778-77-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Sodium chloride (7647-14-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Tricine (5704-04-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### US State Regulations

#### Sodium azide (26628-22-8)

U.S. - Colorado - Hazardous Wastes - Discarded Chemical Products, Off-Specification Species, Container and Spill Residues

U.S. - Connecticut - Hazardous Air Pollutants - HLVs (30 min)

U.S. - Connecticut - Hazardous Air Pollutants - HLVs (8 hr)

U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities

U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations

U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs)

U.S. - Louisiana - Reportable Quantity List for Pollutants

U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 1

U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 2

U.S. - Massachusetts - Oil & Hazardous Material List - Reportable Quantity

# Positive Control

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 1  
U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 2  
U.S. - Massachusetts - Right To Know List  
U.S. - Massachusetts - Toxics Use Reduction Act  
U.S. - Michigan - Occupational Exposure Limits - Ceilings  
U.S. - Michigan - Occupational Exposure Limits - Skin Designations  
U.S. - Michigan - Polluting Materials List  
U.S. - Minnesota - Chemicals of High Concern  
U.S. - Minnesota - Hazardous Substance List  
U.S. - Minnesota - Permissible Exposure Limits - Ceilings  
U.S. - Minnesota - Permissible Exposure Limits - Skin Designations  
U.S. - Nebraska - "P" Listed Hazardous Wastes  
U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - 24-Hour  
U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - Annual  
U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances  
U.S. - New Jersey - Environmental Hazardous Substances List  
U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - New Jersey - Special Health Hazards Substances List  
U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances  
U.S. - North Dakota - Air Pollutants - Guideline Concentrations - 1-Hour  
U.S. - North Dakota - Hazardous Wastes - Discarded Chemical Products, Off-Specification Species, Container and Spill Residues  
U.S. - Ohio - Extremely Hazardous Substances - Threshold Quantities  
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List  
U.S. - Pennsylvania - RTK (Right to Know) List  
U.S. - Tennessee - Occupational Exposure Limits - Ceilings  
U.S. - Tennessee - Occupational Exposure Limits - Skin Designations  
U.S. - Texas - Effects Screening Levels - Long Term  
U.S. - Texas - Effects Screening Levels - Short Term  
U.S. - Vermont - Hazardous Waste - Acutely Hazardous Wastes  
U.S. - Vermont - Permissible Exposure Limits - Ceilings  
U.S. - Vermont - Permissible Exposure Limits - Skin Designations  
U.S. - Washington - Dangerous Waste - Discarded Chemical Products List  
U.S. - Washington - Permissible Exposure Limits - Ceilings  
U.S. - Washington - Permissible Exposure Limits - Skin Designations  
U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 25 Feet to Less Than 40 Feet  
U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 40 Feet to Less Than 75 Feet  
U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 75 Feet or Greater  
U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights Less Than 25 Feet

### Canadian Regulations

#### Negative Control

Uncontrolled product according to WHMIS classification criteria

#### Water (7732-18-5)

Listed on the Canadian DSL (Domestic Substances List) inventory.

WHMIS Classification

Uncontrolled product according to WHMIS classification criteria

#### Sodium azide (26628-22-8)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Listed on the Canadian Ingredient Disclosure List

WHMIS Classification

Class D Division 1 Subdivision A - Very toxic material causing immediate and serious toxic effects

#### Sodium chloride (7647-14-5)

Listed on the Canadian DSL (Domestic Substances List) inventory.

WHMIS Classification

Uncontrolled product according to WHMIS classification criteria

# Positive Control

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Tricine (5704-04-1)</b>	
Listed on the Canadian DSL (Domestic Substances List) inventory.	
<b>Dihydrogen potassium phosphate (7778-77-0)</b>	
Listed on the Canadian DSL (Domestic Substances List) inventory.	
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

### SECTION 16: OTHER INFORMATION

**Indication of Changes** : 8/30/2023

**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

#### GHS Full Text Phrases:

Acute Tox. 1 (Dermal)	Acute toxicity (dermal), Category 1
Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
STOT RE 2	Specific target organ toxicity — repeated exposure, Category 2
H300	Fatal if swallowed
H301	Toxic if swallowed
H310	Fatal in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H373	May cause damage to organs through prolonged or repeated exposure

#### Party Responsible for the Preparation of This Document

Verax Biomedical Incorporated  
Phone Number: 1-508-755-7029

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*

North America GHS US 2012 & WHMIS